

Wyoming's 2010 Health Profiles Principal Results



Dr. Jim McBride
Superintendent of Public Instruction
Wyoming Department of Education

October 01, 2010

Dear Youth Advocates:

It is evident that if students are to master Wyoming academic standards and reach their full potential as productive citizens, we must work to reduce risk behaviors and help students make positive life choices. Schools and government agencies cannot resolve these problems alone. To bring about a meaningful and lasting change, parents, communities, schools and local/state governments must form partnerships and work together for our youth. It is my hope that the information contained in this report will be useful in planning a healthy future for Wyoming.

Sincerely,



Jim McBride, Ed.D.
Superintendent of Public Instruction



Wyoming Department of Education
2300 Capitol Avenue
Hathaway Building, 2nd Floor
Cheyenne, WY 82002-0050

NONDISCRIMINATION STATEMENT

The Wyoming Department of Education does not discriminate on the basis of race, color, national origin, sex, age, or disability in admission or access to, or treatment of employment in its programs or activities. Inquiries concerning Title VI, Title IX, Section 504, and ADA may be referred to Wyoming Department of Education, Office for Civil Rights Coordinator, 2300 Capitol Ave., Cheyenne, WY, 82002-0050 or 307-777-7673, or the Office of Civil Rights, Region VIII, U. S. Department of Education, Federal Building, Suite 310, 1244 Speer Boulevard, Denver, CO 80204-3582, or 303-844-5695 or TDD 303-844-3417. This information will be provided in an alternative format upon request.

RESULTS OF THE 2010 SCHOOL HEALTH PROFILES PRINCIPAL SURVEY

Prepared for

The Wyoming Department of Education

Dr. Jim McBride

Superintendent of Public Instruction

By

Nathaniel Castellanos, Project Analyst

October 2010

This summary document, the 2010 SCHOOL HEALTH PROFILES PRINCIPAL SURVEY report, and detailed tables and graphs can be found at the Wyoming Department of Education's web site at www.k12.wy.us. For additional hard copies or for further information, contact the Wyoming Department of Education at (307) 777-6391.

Table of Contents

	Page
Acknowledgements	5
Profiles Introduction	6
Wyoming School Health Profiles (Profiles) Results Background	7
Sample Description and Weighting Procedures Principal Survey	8
School Health Index or Other Self-Assessment Tools Graph	9
School That Have a School Improvement Plan	9
Coordinators for School Health and Safety Programs and Activities Graph	10
Policies or Coordinates Activities on Health Topics	10
Groups Represented on Any School Health Council, Committee, or Team Graphs	11-13
Require School Staff to Receive Professional Development on HIV, STD, or Pregnancy Prevention Issues Graph	14
Student-Led Club That Aims to Create a Safe, Welcoming and Accepting School Environment Graph	14
Adopted a Policy That Addresses Each of the Following Issues for Students or Staff With HIV Infection or AIDS Graph	15
Require All Staff Who Teach Health Education Topics to Be Certified, Licensed, or Endorsed by the State in Health Education Graph	16
Require Physical Education for Students in Any of Grades 6 through 12 Graph	17
Taught a Required Physical Education Course in Each of The Following Grades Graph	18
Exempted From Taking a Required Physical Education Course For One Grading Period or Longer For Any of the Following Reasons Graph	19
Professional Development on Physical Education during the Past Two Years Graph	20
Provide Those Who Teach Physical Education with the Following Materials Graph	20
Offer Opportunities for Intramural Activities or Physical Activity Clubs Graph	21
Prohibits Tobacco during Any School-Related Activity Graphs	22-25
Tobacco-Use Prevention Policy, Guidelines, Actions and Enforcements Schools Take Graphs	25-37
Nutritional, Dietary and Healthy Activities during the School Year Graphs	37-41
School Nurses, Policies Used to Identify Students Diagnosed With Chronic Health Conditions and Community Evolvment Graphs	41-47
Resources	48

Acknowledgements

The 2010 SCHOOL HEALTH PROFILES PRINCIPAL SURVEY (Profiles) was developed by the Division of Adolescent and School Health, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention in collaboration with the Wyoming Department of Education and representatives of state, local, and territorial departments of health and education. The format and layout of this report includes design elements adapted from other Profiles reports.

We credit the success of the 2010 Profiles survey to the many individuals who worked with us throughout the survey process; including school district superintendents, principals, teachers and school health personnel.

We thank Dr. Jim McBride, Superintendent of Public Instruction for his full support of this project and to the many Department of Education personnel who made contributions to different aspects of the project.

Thank you again to everyone who assisted us with this project. Without your help, the 2010 Profiles survey would not have been a success!

Nathaniel Castellanos, Project Analyst

PROFILES INTRODUCTION

School Health Profiles

What is the School Health Profiles?

The School Health Profiles (Profiles) is a system of surveys assessing school health policies and programs in states and large urban school districts. Profiles surveys are conducted biennially by state and local education and health agencies among middle and high school principals and lead health education teachers. Profiles will monitor the current status of:

- School health education requirements and content
- Physical education requirements
- Health services
- Nutrition-related policies and practices
- Family and community involvement in school health programs

Profiles can also monitor school health policies on HIV and AIDS prevention, tobacco-use prevention, violence prevention, physical activity, professional preparation and staff development for lead health education teachers.

How are Profiles data used?

State and local education and health officials use Profiles data to:

- Compare school health policies and programs across states and large urban school districts
- Advocate for required health education
- Identify health education topics and skills that are taught
- Identify topics for staff development
- Improve school health programs and policies
- Determine how well schools address the health and safety needs of their students

How do specific states and school districts use their Profiles data?

The data can be used to provide students with a planned, chronological set of courses that addresses the physical, mental, emotional, and social magnitude of health. So, the core curriculum is designed to encourage and support students to maintain and improve their health, prevent disease, and reduce health-related risk behaviors. This may allow students to develop and demonstrate increasingly sophisticated health-related knowledge, attitudes, skills, and practices.

Family and community involvement

Provides an integrated school, parent, and community approach for enhancing the health and well-being of students.

Wyoming

2010 School Health Profiles

Survey Results

Background

The School Health Profiles (Profiles) assist states and local education and health agencies in monitoring and assessing characteristics of school health education; physical education; school health policies related to HIV infection/AIDS, tobacco-use prevention, and nutrition; asthma management activities; and family and community involvement in school health programs. Data from Profiles can be used to improve school health programs.

Two questionnaires are used to collect data — one for school principals and one for lead health education teachers. The two questionnaires were mailed to 153 regular secondary public schools containing any of grades 6 through 12 in Wyoming during the spring of 2010. Usable questionnaires were received from 86% of principals and from 75% of teachers. Because the response rates for these surveys were $\geq 70\%$, the results are weighted and are representative of all regular public secondary schools in Wyoming having at least one of grades 6 through 12. Results from the principal and lead health education surveys are presented for the following types of schools in Wyoming:

- High schools with a low grade of 9 or higher and a high grade of 10 or higher;
- Middle schools with a high grade of 9 or lower;
- Junior/senior high schools with a low grade of 8 or less and a high grade of 10 or higher; and
- All schools.

The Profiles questionnaires were developed by the Division of Adolescent and School Health, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention in collaboration with representatives of state, local, and territorial departments of health and education.

2010 SCHOOL HEALTH PROFILES

SAMPLE DESCRIPTION AND WEIGHTING PROCEDURES PRINCIPAL SURVEY

SAMPLE DESCRIPTION:

A census of all regular secondary public schools having at least one of the grades 6 through 12 was conducted. The principal or his/her designee was surveyed in each participating school.

RESPONSE RATE:

86% - 131 out of 153 sampled eligible principals returned questionnaires. All questionnaires were usable after data editing.

WEIGHTING:

A weight has been associated with each questionnaire to reflect the likelihood of a principal being selected and to reduce bias by compensating for differing patterns of nonresponse. The weight used for estimation is given by:

$$W = W_1 * f_1$$

W_1 = inverse of the probability of school selection (=1).


f_1 = a nonresponse adjustment factor calculated by school size (large, medium, or small) and school level (senior high school, middle school, or junior/senior high school combined).

USE OF THE RESULTS:

The weighted results can be used to describe school health policies and practices of all regular secondary public schools in Wyoming having at least one of grades 6 through 12.

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.



Graph 1 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.



Graph 2 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.



Graph 3 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.



Graph 4 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.



Graph 5 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.



Graph 6 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 NA = Not available

Graph 7 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 NA = Not available

Graph 8 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 NA = Not available

Graph 9 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 NA = Not available

Graph 10 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.



Graph 11 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.



Graph 12 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


9. Percentage of schools that engage in the following practices related to LGBTQ youth.



Graph 13 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.



Graph 14 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.



Graph 15 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


11. Percentage of schools that have or participate in each of the following programs.



Graph 16 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.



Graph 17 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


13. Percentage of schools that require physical education for students in any of grades 6 through 12.



Graph 18 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*




*Among schools with students in that grade.
 NA = Not available

Graph 19 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*




*Among schools with students in that grade.
 NA = Not available

Graph 20 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*




*Among those schools that require physical education for students in any of grades 6 through 12.

Graph 21 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*




*Among those schools that require physical education for students in any of grades 6 through 12.

Graph 22 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.



Graph 23 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


17. Percentage of schools that provide those who teach physical education with the following materials.



Graph 24 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.



Graph 25 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.



Graph 26 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


20. Percentage of schools that have adopted a policy prohibiting tobacco use.



Graph 27 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.



Graph 28 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.



Graph 29 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.



Graph 30 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.



Graph 31 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.



Graph 32 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.



Graph 33 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.



Graph 34 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.



Graph 35 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.




Graph 36 of 78

WYOMING

2010 School Health Profiles Report
Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*




*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all “yes.”

Graph 37 of 78

WYOMING

2010 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*




*Among those schools that have adopted a policy prohibiting tobacco use.

Graph 38 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*




*Among those schools that have adopted a policy prohibiting tobacco use.

Graph 39 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*




*Among those schools that have adopted a policy prohibiting tobacco use.

Graph 40 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.



Graph 41 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



Graph 42 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



Graph 43 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



Graph 44 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



Graph 45 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



Graph 46 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



Graph 47 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



Graph 48 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



Graph 49 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



Graph 50 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



Graph 51 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



Graph 52 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



Graph 53 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.



Graph 54 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


30. Percentage of schools that did the following activities during the past two years.



Graph 55 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


31. Percentage of schools that provide tobacco cessation services for each of the following groups.



Graph 56 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.



Graph 57 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.



Graph 58 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.



Graph 59 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



Graph 60 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



Graph 61 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



Graph 62 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.



Graph 63 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


37. Percentage of schools that have done any of the following activities during this school year.



Graph 64 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.



Graph 65 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.



Graph 66 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


40. Percentage of schools that have a full-time registered nurse who provides health services to students.



Graph 67 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.



Graph 68 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


42. Percentage of schools that use the following events to identify students with poorly controlled asthma.



Graph 69 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


42. Percentage of schools that use the following events to identify students with poorly controlled asthma.



Graph 70 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.



Graph 71 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.



Graph 72 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.



Graph 73 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.



Graph 74 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*




*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

Graph 75 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*




*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

Graph 76 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results


48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.



Graph 77 of 78

WYOMING
2010 School Health Profiles Report
Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.



Graph 78 of 78

Resources:

Wyoming Department of Education

<http://www.k12.wy.us/>

National Center for Chronic Disease Prevention and Health Promotion

<http://www.cdc.gov/nccdphp/>

Action for Health Kids

<http://www.actionforhealthykids.org/index.php>

Afterschool Alliance

<http://www.afterschoolalliance.org>

U.S. Department of Health and Human Services and SAMHSA's National Clearinghouse for Alcohol and Drug Information

<http://ncadi.samhsa.gov/default.aspx>

Learn and Serve America

<http://www.learnandserve.gov/>

National Institute on Out-of-School Time

<http://www.niost.org/>

Wyoming 21st Century Community Learning Centers

<http://www.k12.wy.us/HS/21sig.asp>

Wyoming Department of Health

<http://wdh.state.wy.us/>

Team Nutrition

<http://www.fns.usda.gov/tn/>

Centers for Disease Control and Prevention

<http://www.cdc.gov/>

National Center for Chronic Disease Prevention and Health Promotion, Healthy Youth Data and Statistics: Youth Risk Behavior Surveillance System

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

Division of Adolescent and School Health

<http://www.cdc.gov/HealthyYouth/>

National Center for Education Statistics

<http://www.nces.ed.gov/programs/handbook/index.asp>