

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009				2011	
Total															
Injury and Violence															
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet			93.8	90.3	88.7	86.2	87.3	83.1	81.5	84.0	83.6	Yes	Yes	No	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			33.4	32.9	24.0	20.0	18.6	15.7	15.3	16.5	15.8	Yes	Yes	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			42.3	40.9	38.7	35.9	32.2	29.7	29.4	28.9	25.7	Yes	No	Yes	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			22.4	21.6	23.3	20.2	19.2	15.3	15.6	13.0	11.7	Yes	Yes	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			25.6	25.6	24.0	22.9	24.6	28.0	26.8	26.0	27.1	No	No	No	
Percentage of students who carried a gun on one or more of the past 30 days			10.8	10.4	9.3	10.1	9.5	11.2	11.5	11.5	10.8	No	No	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			14.1	13.1	11.8	8.4	10.1	10.0	11.4	11.5	10.5	Yes	Yes	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			3.4	4.3	3.0	8.0	5.4	6.1	6.1	6.1	6.1	Yes	Yes	No	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Injury and Violence																
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			7.3	7.3	8.1	9.4	9.7	7.8	8.3	9.4	7.3	No	Yes	Yes		
Percentage of students who were in a physical fight one or more times during the past 12 months			35.6	34.0	31.5	31.4	31.2	30.4	27.9	30.9	26.5	Yes	No	Yes		
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse			4.8	3.6	3.1	2.9	3.4	3.7	4.9	3.9	4.1	No	Yes	No		
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			16.8	14.0	12.9	13.5	12.7	12.2	11.6	12.6	11.3	Yes	No	No		
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					10.2	9.5	7.9	13.3	14.7	15.0	14.2	Yes	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						8.1	9.2	10.3	12.5	13.2	12.2	Yes	Yes	No		
Percentage of students who had ever been bullied on school property during the past 12 months										24.4	25.0	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					22.9	26.2	30.2	26.3	28.2	26.9	25.5	No	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Injury and Violence																
Percentage of students who seriously considered attempting suicide during the past 12 months			23.6	22.4	16.7	18.5	21.0	17.4	17.8	17.3	17.4	Yes	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months			17.4	19.0	13.3	14.2	15.8	15.7	17.8	15.3	14.2	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months			8.3	8.4	6.6	7.4	9.1	8.7	10.5	9.4	11.3	Yes	No	Yes		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse			2.6	2.3	2.5	2.4	3.4	2.7	4.2	4.0	4.9	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Tobacco Use																
Percentage of students who ever tried cigarette smoking, even one or two puffs			73.0	74.1	69.3	64.6	56.1	56.9	54.4	52.5	48.1	Yes	No	No		
Percentage of students who smoked a whole cigarette for the first time before age 13 years			30.9	29.1	25.9	24.1	21.5	18.2	19.0	15.8	13.7	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days			39.5	37.4	35.2	28.4	26.0	22.5	20.8	22.1	22.0	Yes	Yes	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			19.4	20.3	19.3	13.6	13.3	10.1	9.9	9.8	10.2	Yes	No	No		
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days			14.4	16.8	15.0	11.9	12.5	9.6	13.4	13.4	12.3	No	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days						11.9	9.8	13.2	9.4	14.5	11.3	No	No	No		
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days			17.2	16.6	15.9	10.7	10.2	6.8	7.5	8.2	7.1	Yes	No	No		
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						20.7	18.9	16.6	15.8	16.3	16.0	Yes	No	No		
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months						58.2	57.8	57.4	55.7	55.3	54.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Tobacco Use																
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			25.1	22.5	17.7	18.1	13.3	14.3	14.7	16.2	15.1	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life			81.1	80.7	82.2	82.3	76.2	77.2	76.1	71.8	65.7	Yes	Yes	Yes		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			42.0	40.5	36.3	33.9	34.7	27.0	28.8	26.1	23.5	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			52.1	55.0	54.8	51.3	49.0	45.4	42.4	41.7	36.1	Yes	Yes	Yes		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			38.8	40.6	39.5	38.1	34.6	32.0	29.4	27.8	25.1	Yes	Yes	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days									32.9	36.3	40.0	Yes	No	No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			7.3	7.4	6.5	6.1	6.2	6.2	6.9	6.4	5.1	Yes	No	Yes		
Percentage of students who used marijuana one or more times during their life			38.1	42.8	42.9	41.0	39.4	38.0	34.5	35.0	35.9	Yes	Yes	No		
Percentage of students who tried marijuana for the first time before age 13 years			8.3	10.3	10.6	9.8	10.8	10.4	10.6	9.3	9.3	No	Yes	No		
Percentage of students who used marijuana one or more times during the past 30 days			21.9	23.4	21.4	20.4	20.4	17.8	14.4	16.9	18.5	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days			6.7	8.0	4.7	4.4	5.1	4.0	4.7	5.3	4.7	Yes	Yes	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			9.5	11.4	9.8	9.5	10.7	10.2	8.7	8.4	8.6	Yes	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days			4.7	5.8	3.7	4.3	4.3	3.9	3.6	3.4	3.5	Yes	No	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			28.0	25.7	17.6	16.0	14.0	17.1	16.7	15.9	14.4	Yes	Yes	No		
Percentage of students who used heroin one or more times during their life					2.9	2.9	2.9	3.7	5.2	4.2	4.5	Yes	No	No		
Percentage of students who used methamphetamines one or more times during their life					12.6	10.7	11.6	8.5	6.0	4.9	5.2	Yes	No	No		
Percentage of students who used ecstasy one or more times during their life							6.3	7.4	7.7	8.9	9.4	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life			4.7	6.1	4.9	5.3	4.4	4.8	5.8	5.3	5.2	No	No	No		
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			2.8	3.8	2.8	2.6	3.1	3.1	3.6	3.9	4.0	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Alcohol and Other Drug Use																
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			24.3	31.5	20.3	18.9	18.1	22.7	24.7	23.7	25.2	No	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse			48.9	45.0	47.9	46.5	45.8	47.1	47.2	50.6	47.9	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years			8.9	6.2	6.2	5.2	5.8	5.2	6.0	5.9	6.0	Yes	Yes	No		
Percentage of students who had sexual intercourse with four or more people during their life			16.4	16.9	16.1	13.8	16.1	15.5	14.5	17.9	17.3	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months			32.0	30.6	34.5	32.9	31.8	34.7	33.7	37.8	34.7	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse			30.1	33.3	31.3	30.2	27.4	24.7	25.0	24.5	26.7	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse			53.7	49.5	57.2	61.8	64.0	64.9	63.1	61.7	58.6	Yes	Yes	No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse			22.2	21.5	20.7	25.7	22.7	24.9	21.5	23.7	21.5	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse						5.3	5.6	4.0	6.1	3.5	4.2	9.0	No	Yes	Yes	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey

Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse					26.0	31.3	26.7	31.0	25.0	27.9	30.6	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy					8.8	12.1	10.8	14.3	9.7	11.4	11.0	No	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection			88.9	92.4	89.6	89.9	88.3	89.5	85.7	84.6	82.6	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					10.6	10.6	11.7	12.1	11.3	12.4	12.0	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**					6.1	6.5	7.2	8.3	9.2	9.7	11.1	Yes	No	No		
Percentage of students who described themselves as slightly or very overweight			26.9	27.6	28.4	27.5	29.2	29.2	27.5	29.1	27.3	No	No	No		
Percentage of students who were trying to lose weight			40.3	42.0	40.4	41.7	43.1	42.3	40.2	44.3	41.8	No	No	No		
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					12.7	13.5	12.7	12.5	14.3	13.9	13.1	No	No	No		
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					6.6	7.8	7.7	7.3	7.9	6.5	8.1	No	No	No		
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			6.0	6.6	4.3	4.8	5.5	6.8	6.8	6.1	6.9	Yes	No	No		
Percentage of students who drank 100% fruit juices one or more times during the past seven days					83.1	84.3	82.3	80.0	79.9	79.2	79.3	Yes	No	No		
Percentage of students who ate fruit one or more times during the past seven days					87.5	88.4	88.2	85.7	85.8	87.8	87.4	No	No	No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Total														
Weight Management and Dietary Behaviors														
Percentage of students who ate green salad one or more times during the past seven days					75.5	74.8	77.1	70.7	71.2	70.2	71.0	Yes	No	No
Percentage of students who ate potatoes one or more times during the past seven days					81.4	80.5	80.9	76.1	73.3	75.5	73.4	Yes	No	No
Percentage of students who ate carrots one or more times during the past seven days					57.1	55.3	57.8	55.2	55.7	57.2	57.5	No	No	No
Percentage of students who ate other vegetables one or more times during the past seven days					87.8	86.7	87.4	84.1	82.9	84.1	84.6	Yes	Yes	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					21.6	21.0	22.5	16.8	17.3	19.1	22.1	No	Yes	Yes
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days					11.2	11.1	11.9	7.6	8.7	9.9	11.5	No	Yes	No
Percentage of students who ate fruits two or more times per day during the past seven days					31.4	29.7	30.3	25.6	25.5	26.8	29.8	Yes	Yes	Yes
Percentage of students who ate vegetables three or more times per day during the past seven days					15.7	16.5	16.4	11.9	13.0	16.0	17.5	No	Yes	No
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days									27.9	27.0	25.9	No	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								36.0	48.2	48.9	50.1	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								22.4	14.3	13.6	14.0	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								16.7	26.4	25.6	25.8	Yes	Yes	No		
Percentage of students who watched three or more hours per day of TV on an average school day					27.4	24.7	26.6	22.3	20.8	22.0	20.6	Yes	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day									16.3	16.3	20.4	Yes	Yes	Yes		
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school			58.0	53.3	60.8	58.2	52.9	54.5	53.5	57.4	56.3	No	No	No		
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school			36.4	29.2	33.1	30.9	23.2	21.5	21.9	22.7	21.7	Yes	No	No		
Percentage of students who played on one or more sports teams during the past 12 months					58.9	63.8	56.3	59.5	59.8	60.3	62.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Other																
Percentage of students who had ever been told by a doctor or nurse that they had asthma								18.5	23.1	21.2	25.3		Yes	No	Yes	
Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma								11.7	11.2	12.4		No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Injury and Violence																
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet			92.5	89.9	90.4	88.1	88.0	83.5	83.9	85.5	85.4	Yes	No	No		
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			42.6	41.9	31.6	26.1	22.6	18.8	19.0	20.4	20.3	Yes	Yes	No		
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			44.0	42.2	39.9	36.6	30.7	28.3	27.5	28.3	26.0	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			26.7	25.3	25.3	24.6	18.9	17.2	16.8	15.4	13.0	Yes	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			41.6	43.1	40.3	37.3	39.1	43.3	40.7	40.0	40.4	No	No	No		
Percentage of students who carried a gun on one or more of the past 30 days			18.4	18.8	16.7	17.2	16.3	17.8	19.1	18.5	16.2	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			22.5	22.4	19.7	14.0	16.0	16.0	18.4	17.1	16.8	Yes	Yes	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			2.8	5.2	3.4	7.0	6.2	5.6	4.8	5.7	5.3	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Male														
Injury and Violence														
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			9.8	10.7	11.1	11.8	13.3	9.1	9.5	12.3	9.0	No	Yes	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months			43.9	43.8	41.5	39.4	40.7	36.0	35.2	39.7	33.8	Yes	No	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse			6.2	5.3	4.3	4.4	4.4	4.7	6.2	4.8	4.8	No	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			22.7	20.5	18.5	19.1	17.9	16.2	15.1	17.4	14.5	Yes	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					9.8	10.6	8.8	13.1	14.9	16.0	13.9	Yes	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						5.0	6.7	7.1	9.0	8.6	7.9	Yes	Yes	No
Percentage of students who had ever been bullied on school property during the past 12 months										23.5	22.0	No		No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					15.5	20.0	23.5	19.6	21.3	19.2	21.1	No	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Injury and Violence																
Percentage of students who seriously considered attempting suicide during the past 12 months			17.5	16.3	13.3	14.6	17.5	13.3	13.9	13.6	14.7	Yes	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months			13.4	14.0	9.8	12.1	14.1	12.2	13.0	12.1	12.0	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months			6.0	5.2	4.4	4.9	5.5	6.6	8.7	7.9	10.5	Yes	Yes	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse			2.1	1.8	2.1	1.6	2.7	2.5	3.3	3.9	3.7	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Tobacco Use																
Percentage of students who ever tried cigarette smoking, even one or two puffs			76.5	77.6	71.6	66.6	55.8	58.2	54.2	53.7	49.8	Yes	Yes	No		
Percentage of students who smoked a whole cigarette for the first time before age 13 years			35.0	32.1	31.7	26.7	21.6	19.7	18.8	16.9	14.8	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days			39.2	38.1	34.6	27.0	25.8	22.7	20.0	23.4	22.8	Yes	Yes	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			19.2	20.3	18.2	12.2	12.5	9.7	9.8	10.5	10.8	Yes	No	No		
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days			17.6	18.3	20.0	12.1	14.1	11.3	18.7	17.0	13.3	No	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days						13.8	15.0	17.1	10.7	18.5	15.6	No	No	No		
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days			17.8	17.0	16.9	11.0	10.1	7.4	7.7	9.0	7.5	Yes	No	No		
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						19.3	17.4	15.5	13.7	15.6	15.4	Yes	Yes	No		
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months						52.7	50.3	53.1	51.6	51.0	53.0	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Tobacco Use																
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			39.7	34.7	28.8	28.6	21.1	22.2	21.3	24.7	22.1	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life			83.7	83.4	81.7	83.2	76.1	76.8	73.1	71.8	65.0	Yes	Yes	Yes		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			50.9	47.9	43.6	39.8	39.9	30.3	31.0	29.6	25.8	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			56.4	58.1	56.4	54.0	49.2	46.0	40.9	42.9	35.7	Yes	Yes	Yes		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			42.9	44.0	43.4	42.5	35.7	34.2	30.1	30.0	26.7	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days									23.9	29.5	29.7	No	No	No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			9.4	9.1	8.5	7.8	6.3	7.2	8.6	8.1	6.0	Yes	No	No		
Percentage of students who used marijuana one or more times during their life			41.5	45.7	45.4	43.3	42.4	38.7	35.7	37.4	38.1	Yes	No	No		
Percentage of students who tried marijuana for the first time before age 13 years			11.9	13.8	13.7	11.8	12.1	11.8	12.7	11.1	10.2	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days			24.8	27.1	23.4	23.7	23.4	18.5	16.4	19.1	19.8	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days			9.4	10.3	6.1	5.6	6.4	4.9	6.6	7.4	6.3	Yes	Yes	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			10.4	12.7	10.8	8.9	10.8	9.2	9.4	9.7	9.2	No	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days			6.3	7.0	4.2	4.3	4.6	4.8	4.8	4.4	4.3	Yes	No	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			29.8	26.3	18.3	16.3	13.7	16.9	16.8	16.1	13.9	Yes	Yes	No		
Percentage of students who used heroin one or more times during their life					3.5	3.1	3.1	5.0	6.5	5.6	5.7	Yes	No	No		
Percentage of students who used methamphetamines one or more times during their life					13.1	10.4	11.0	8.5	6.8	6.3	5.4	Yes	No	No		
Percentage of students who used ecstasy one or more times during their life							5.8	8.2	9.4	10.8	10.1	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life			6.0	7.7	6.3	6.6	4.7	5.9	6.6	6.6	6.3	No	No	No		
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			3.8	4.1	3.7	3.3	2.9	4.0	4.4	4.6	4.5	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Alcohol and Other Drug Use																
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			28.7	35.7	21.8	21.1	20.1	25.1	27.1	25.5	26.3	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse			52.6	45.9	47.8	46.9	44.7	46.9	46.7	49.6	48.5	No	Yes	No		
Percentage of students who had sexual intercourse for the first time before age 13 years			12.2	8.2	8.9	6.7	5.9	6.6	7.6	8.8	7.6	Yes	Yes	No		
Percentage of students who had sexual intercourse with four or more people during their life			19.1	17.5	16.8	14.1	16.0	15.9	15.3	19.0	18.4	No	Yes	No		
Percentage of students who had sexual intercourse with one or more people during the past three months			33.0	28.8	32.7	31.7	29.5	32.0	31.1	35.0	31.6	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse			37.2	39.9	34.9	38.3	33.0	27.7	30.4	30.4	34.5	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse			58.6	57.8	65.0	69.2	66.7	70.1	68.1	67.3	69.4	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse			17.1	16.4	13.2	19.0	20.7	20.3	18.8	15.6	17.7	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse						3.9	2.4	1.3	3.5	2.2	1.4	6.3	No	Yes	Yes	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse					17.0	21.5	22.1	23.7	21.0	17.0	24.0	No	No	Yes		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy					8.5	9.7	10.4	11.4	9.2	6.8	11.1	No	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection			88.2	90.9	88.7	89.4	86.5	88.8	84.7	83.2	83.1	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					12.1	12.1	13.0	12.6	12.6	13.1	11.5	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**					9.7	9.3	10.5	12.1	11.7	11.0	14.9	Yes	No	Yes		
Percentage of students who described themselves as slightly or very overweight			18.9	20.3	21.6	19.8	21.8	20.9	20.5	22.2	22.5	No	No	No		
Percentage of students who were trying to lose weight			21.1	23.4	21.5	21.5	25.3	26.0	24.8	29.4	27.8	Yes	No	No		
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					7.1	8.2	7.9	8.2	10.8	11.1	10.2	Yes	No	No		
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					4.1	5.0	5.3	6.5	8.3	6.9	6.9	Yes	No	No		
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			3.0	4.2	2.3	2.6	2.7	5.1	5.9	5.5	5.6	Yes	No	No		
Percentage of students who drank 100% fruit juices one or more times during the past seven days					82.4	84.5	83.8	80.4	80.3	79.4	78.7	Yes	No	No		
Percentage of students who ate fruit one or more times during the past seven days					86.2	87.8	89.0	84.5	84.3	85.9	86.2	No	No	No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Weight Management and Dietary Behaviors																
Percentage of students who ate green salad one or more times during the past seven days					73.1	72.4	74.1	66.2	67.8	66.9	67.4	Yes	No	No		
Percentage of students who ate potatoes one or more times during the past seven days					83.1	81.3	82.0	76.9	74.5	76.5	74.4	Yes	No	No		
Percentage of students who ate carrots one or more times during the past seven days					56.9	57.2	58.7	57.5	56.2	57.5	58.3	No	No	No		
Percentage of students who ate other vegetables one or more times during the past seven days					86.1	85.4	86.8	82.0	81.0	81.9	82.6	Yes	No	No		
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					23.8	24.6	25.2	20.0	18.9	19.8	24.6	No	No	Yes		
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days					13.6	13.3	13.7	9.3	8.6	10.1	13.7	No	Yes	Yes		
Percentage of students who ate fruits two or more times per day during the past seven days					33.2	31.2	32.5	27.9	28.3	27.2	32.6	No	Yes	Yes		
Percentage of students who ate vegetables three or more times per day during the past seven days					17.6	18.5	18.9	14.2	13.3	17.3	20.5	No	Yes	Yes		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										34.6	33.3	31.0	No	No	No	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								42.8	54.8	56.3	58.7	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								18.2	12.9	12.2	11.1	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								21.9	33.4	33.6	34.3	Yes	Yes	No		
Percentage of students who watched three or more hours per day of TV on an average school day					33.1	29.8	31.1	24.5	24.0	23.9	21.4	Yes	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day									22.7	21.7	25.5	No	No	Yes		
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school			63.7	57.5	67.6	66.0	59.6	61.5	60.3	63.4	63.6	No	No	No		
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school			41.9	32.0	37.0	34.0	30.7	26.1	24.6	26.1	26.8	Yes	No	No		
Percentage of students who played on one or more sports teams during the past 12 months					63.7	68.3	60.5	62.8	62.3	63.7	66.0	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Other																
Percentage of students who had ever been told by a doctor or nurse that they had asthma								20.2	22.4	21.6	24.9	Yes	No	No		
Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma									9.7	11.4	11.1	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Female														
Injury and Violence														
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet			95.2	91.0	86.5	83.9	86.4	82.4	78.6	81.8	81.3	Yes	Yes	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			24.0	23.5	16.0	13.5	14.1	12.4	11.2	12.3	10.9	Yes	Yes	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			40.6	39.7	37.4	35.1	33.9	31.3	31.1	29.4	25.4	Yes	No	Yes
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			18.0	17.9	21.0	15.5	19.4	13.2	14.1	10.5	10.3	Yes	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			9.2	8.0	6.8	8.0	9.8	11.9	11.8	11.1	13.5	Yes	No	No
Percentage of students who carried a gun on one or more of the past 30 days			2.8	1.8	1.3	2.6	2.4	4.2	3.4	3.9	5.1	Yes	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			5.3	3.6	3.3	2.6	3.9	3.8	3.7	5.2	3.9	No	Yes	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			4.1	3.4	2.6	9.0	4.7	6.7	7.3	6.6	6.8	Yes	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Injury and Violence																
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			4.7	3.8	4.9	6.7	5.9	6.3	6.6	6.3	5.3	No	Yes	No		
Percentage of students who were in a physical fight one or more times during the past 12 months			27.1	24.0	21.3	22.9	21.4	24.3	19.8	21.6	18.9	Yes	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse			3.4	1.9	1.9	1.2	2.3	2.6	3.3	2.8	3.3	No	Yes	No		
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			10.6	7.4	7.0	7.4	7.3	7.9	7.7	7.5	8.0	No	No	No		
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					10.6	8.2	7.1	13.4	14.2	13.7	14.5	Yes	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						11.3	11.6	13.7	16.0	18.0	16.5	Yes	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										25.5	28.1	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					31.0	33.1	36.9	33.4	35.8	35.3	30.0	No	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Injury and Violence																
Percentage of students who seriously considered attempting suicide during the past 12 months			30.0	28.4	20.5	22.6	24.8	21.8	21.8	21.2	20.2	Yes	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months			21.6	23.8	17.2	16.5	17.5	19.3	22.7	18.7	16.5	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months			10.7	11.5	8.9	10.0	12.9	10.9	11.9	10.9	12.0	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse			3.0	2.9	2.9	3.3	4.1	2.9	4.8	4.1	6.0	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Tobacco Use																
Percentage of students who ever tried cigarette smoking, even one or two puffs			69.3	70.6	66.8	62.4	56.5	55.6	54.5	51.1	46.4	Yes	No	No		
Percentage of students who smoked a whole cigarette for the first time before age 13 years			26.6	25.9	19.9	21.5	21.2	16.6	19.0	14.4	12.4	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days			39.8	36.7	35.9	29.6	26.4	22.4	21.5	20.7	21.3	Yes	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			19.6	20.2	20.4	15.3	14.1	10.5	9.9	9.0	9.7	Yes	No	No		
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days			11.2	15.0	9.6	11.8	10.7	7.8	7.7	9.1	11.2	No	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days						10.4	5.1	9.3	7.1	10.0	7.3	No	No	No		
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days			16.5	16.0	14.8	10.4	10.4	6.2	7.1	7.4	6.8	Yes	No	No		
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						22.4	20.6	17.7	17.9	16.8	16.6	Yes	No	No		
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months						63.3	65.6	61.8	59.7	60.3	56.4	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Tobacco Use																
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			9.9	9.7	6.0	6.9	5.0	5.9	7.4	6.9	7.8	No	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Female														
Alcohol and Other Drug Use														
Percentage of students who had at least one drink of alcohol on one or more days during their life			78.2	78.0	82.6	81.5	76.4	77.6	79.3	72.1	66.6	Yes	Yes	Yes
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			32.7	32.9	28.5	27.7	29.2	23.5	26.3	22.3	21.1	Yes	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			47.5	51.9	53.2	48.6	49.0	44.7	43.8	40.4	36.6	Yes	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			34.5	37.0	35.4	33.5	33.8	29.5	28.5	25.4	23.5	Yes	Yes	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days									41.8	44.1	50.2	Yes	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			5.1	5.5	4.3	4.3	6.1	5.1	4.9	4.7	4.1	No	No	No
Percentage of students who used marijuana one or more times during their life			34.7	39.6	40.5	38.5	36.1	37.2	33.1	32.3	33.7	Yes	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years			4.5	6.6	7.3	7.5	9.5	8.9	8.1	7.1	8.4	Yes	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days			18.9	19.4	19.5	16.9	17.4	17.1	12.0	14.6	17.1	Yes	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days			3.9	5.5	3.2	3.1	3.8	3.1	2.6	3.0	3.0	Yes	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			8.4	9.8	8.9	10.0	10.5	11.4	7.6	6.9	7.9	No	Yes	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days			3.0	4.5	3.2	4.1	3.8	3.0	2.3	2.3	2.6	Yes	Yes	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			26.1	25.2	17.1	15.6	14.3	17.2	16.5	15.8	15.0	Yes	Yes	No		
Percentage of students who used heroin one or more times during their life					2.3	2.7	2.5	2.4	3.4	2.6	3.2	No	No	No		
Percentage of students who used methamphetamines one or more times during their life					12.2	11.0	12.3	8.5	4.7	3.3	4.9	Yes	No	No		
Percentage of students who used ecstasy one or more times during their life							6.9	6.5	5.5	6.8	8.7	No	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life			3.3	4.1	3.3	3.8	3.9	3.5	4.6	3.9	4.0	No	No	No		
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			1.7	3.2	1.9	1.8	3.1	2.1	2.7	3.1	3.3	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Alcohol and Other Drug Use																
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			19.6	27.1	18.6	16.5	16.0	20.0	22.1	21.6	23.8	No	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011				
Female															
Sexual Behaviors															
Percentage of students who ever had sexual intercourse			45.2	44.0	47.8	45.9	46.8	47.4	47.7	51.6	47.4	No	No	No	
Percentage of students who had sexual intercourse for the first time before age 13 years			5.6	4.3	3.4	3.6	5.6	3.7	4.2	3.0	4.3	No	No	No	
Percentage of students who had sexual intercourse with four or more people during their life			13.7	16.3	15.2	13.4	16.3	15.2	13.5	16.8	16.2	No	No	No	
Percentage of students who had sexual intercourse with one or more people during the past three months			31.1	32.4	36.0	34.0	34.1	37.6	36.5	40.4	37.8	Yes	No	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse			22.5	27.5	28.5	22.1	22.4	22.1	20.0	19.3	20.1	Yes	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse			48.3	42.7	50.4	54.8	61.3	60.5	59.1	57.2	49.4	Yes	Yes	Yes	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse			27.8	26.1	27.3	31.8	24.6	29.0	24.0	30.9	24.8	No	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse						6.8	8.2	6.3	8.5	4.6	6.5	11.3	No	No	Yes

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey

Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse					34.1	40.0	30.8	37.5	28.7	37.5	36.1	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy					9.2	14.1	11.2	16.9	10.3	15.4	11.0	No	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection			89.5	93.9	90.4	90.7	90.5	90.4	87.3	86.1	82.1	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Female														
Weight Management and Dietary Behaviors														
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					8.9	9.1	10.3	11.5	9.8	11.7	12.6	Yes	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**					2.2	3.6	3.8	4.2	6.5	8.3	7.0	Yes	No	No
Percentage of students who described themselves as slightly or very overweight			35.2	35.3	35.9	35.6	36.6	38.1	35.0	36.4	32.4	No	Yes	No
Percentage of students who were trying to lose weight			60.1	61.2	60.5	63.4	61.6	60.0	56.9	59.9	56.3	Yes	Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					18.7	19.2	17.7	17.0	17.8	17.0	16.0	No	No	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					9.3	10.7	10.0	8.3	7.2	6.1	9.0	Yes	No	Yes
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			9.1	9.1	6.4	7.1	8.3	8.6	7.4	6.8	8.1	No	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days					83.9	84.2	80.7	79.5	79.4	78.9	80.1	Yes	No	No
Percentage of students who ate fruit one or more times during the past seven days					88.8	89.1	87.4	87.0	87.6	89.7	89.1	No	No	No

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Weight Management and Dietary Behaviors																
Percentage of students who ate green salad one or more times during the past seven days					78.1	77.3	80.2	75.5	75.0	73.7	74.9	Yes	No	No		
Percentage of students who ate potatoes one or more times during the past seven days					79.5	79.9	79.6	75.2	72.0	74.5	72.8	Yes	No	No		
Percentage of students who ate carrots one or more times during the past seven days					57.4	53.6	56.8	52.7	55.1	56.9	56.9	No	No	No		
Percentage of students who ate other vegetables one or more times during the past seven days					89.6	88.2	87.9	86.3	85.0	86.5	87.0	Yes	No	No		
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					19.3	17.3	19.3	13.4	15.4	18.2	19.6	No	Yes	No		
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days					8.6	8.8	10.1	5.8	8.5	9.5	9.1	No	No	No		
Percentage of students who ate fruits two or more times per day during the past seven days					29.4	28.3	28.3	23.1	22.4	26.4	26.9	Yes	Yes	No		
Percentage of students who ate vegetables three or more times per day during the past seven days					13.5	14.4	13.5	9.5	12.2	14.5	14.4	No	Yes	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										20.9	20.3	20.9	No	No	No	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								28.6	41.5	41.0	41.4	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								26.9	15.7	15.0	16.7	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								11.1	19.1	17.2	17.2	Yes	Yes	No		
Percentage of students who watched three or more hours per day of TV on an average school day					21.4	19.1	22.1	20.0	17.5	19.8	19.7	No	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day									9.3	10.6	15.2	Yes	No	Yes		
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school			51.8	49.1	53.4	50.0	46.1	47.2	46.2	50.9	48.7	No	No	No		
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school			30.6	26.5	29.1	27.8	15.5	16.7	19.0	19.3	16.4	Yes	No	No		
Percentage of students who played on one or more sports teams during the past 12 months					53.9	59.3	52.1	55.9	57.0	56.5	59.3	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Other																
Percentage of students who had ever been told by a doctor or nurse that they had asthma								16.7	23.9	20.9	25.5	Yes	No	Yes		
Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma								13.8	11.1	13.7	No	Yes	Yes			

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Injury and Violence																
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet			92.9	90.1	88.2	85.7	86.6	82.2	80.2	83.5	83.3	Yes	Yes	No		
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			32.2	30.5	22.8	19.0	17.8	15.0	14.1	14.9	14.4	Yes	Yes	No		
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			41.9	38.7	37.4	34.1	31.7	28.3	28.2	27.1	24.4	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			22.2	20.5	22.2	19.5	19.3	14.5	15.2	11.6	10.9	Yes	Yes	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			24.8	24.2	23.0	22.4	24.3	27.3	25.3	25.0	27.0	No	No	No		
Percentage of students who carried a gun on one or more of the past 30 days			9.9	9.2	8.7	9.8	9.2	10.8	10.7	10.7	10.4	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			13.4	11.9	10.8	8.2	9.8	9.3	10.3	10.6	9.6	Yes	Yes	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			2.7	3.7	2.7	7.0	4.7	5.9	5.6	5.0	4.9	Yes	Yes	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Injury and Violence																
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			6.0	6.3	7.1	8.5	9.4	6.8	7.5	8.0	5.6	No	Yes	Yes		
Percentage of students who were in a physical fight one or more times during the past 12 months			34.1	32.5	29.6	30.0	30.1	29.0	25.7	28.7	24.0	Yes	No	Yes		
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse			4.0	3.0	2.9	2.5	2.9	3.0	3.9	3.0	3.3	No	No	No		
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			15.5	13.4	12.2	12.8	12.3	11.2	10.1	10.9	10.0	Yes	No	No		
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					9.8	8.8	7.2	12.6	14.0	13.6	12.4	Yes	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						7.5	8.8	9.6	11.6	12.0	10.7	Yes	Yes	No		
Percentage of students who had ever been bullied on school property during the past 12 months										23.5	23.6	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					21.7	25.6	29.4	25.1	26.9	26.2	23.6	No	Yes	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Injury and Violence																
Percentage of students who seriously considered attempting suicide during the past 12 months			22.5	21.4	15.0	18.2	20.6	17.0	16.2	16.7	16.2	Yes	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months			16.7	18.0	12.3	14.2	15.1	15.3	16.8	14.6	13.1	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months			7.9	7.5	5.7	7.0	8.7	7.9	9.5	8.4	10.0	Yes	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse			2.2	2.1	2.0	2.3	3.2	2.2	3.8	3.5	3.9	Yes	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Tobacco Use																
Percentage of students who ever tried cigarette smoking, even one or two puffs			71.2	72.3	67.6	63.0	55.1	55.3	51.7	50.3	45.4	Yes	No	Yes		
Percentage of students who smoked a whole cigarette for the first time before age 13 years			29.3	27.3	24.5	23.2	20.3	16.3	16.6	13.4	11.6	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days			38.0	36.4	33.8	27.5	24.9	21.5	19.3	20.0	20.9	Yes	Yes	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			18.9	19.3	18.2	13.3	12.8	9.9	9.2	8.3	9.4	Yes	No	No		
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days			13.7	15.4	14.4	12.0	12.2	9.5	12.6	11.5	10.9	Yes	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days						11.8	10.1	12.7	8.0	14.4	11.3	No	No	No		
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days			15.9	15.6	14.7	10.2	9.7	6.1	6.5	6.8	6.4	Yes	No	No		
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						19.9	18.4	16.1	14.5	15.0	14.8	Yes	No	No		
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months						57.1	58.9	57.5	54.7	57.4	55.5	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009				2011	
White*															
Tobacco Use															
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			25.8	22.3	18.2	18.1	12.7	13.8	13.6	15.2	14.3	Yes	Yes	No	

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life			79.8	79.4	81.1	82.0	76.0	76.4	75.7	71.3	64.6	Yes	Yes	Yes		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			40.9	38.5	34.4	33.1	34.0	25.7	27.1	24.1	21.6	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			51.9	53.6	52.9	50.6	48.6	44.2	41.4	40.2	35.3	Yes	Yes	Yes		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			38.3	39.6	37.6	37.5	34.6	30.8	28.4	26.3	24.5	Yes	Yes	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days									34.2	37.9	40.8	Yes	No	No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			6.7	6.3	5.5	5.5	6.0	5.2	5.9	5.0	4.5	Yes	No	No		
Percentage of students who used marijuana one or more times during their life			35.1	39.9	40.0	39.1	38.0	36.1	32.6	32.1	33.3	Yes	Yes	No		
Percentage of students who tried marijuana for the first time before age 13 years			6.2	8.5	8.7	8.6	10.1	8.9	8.6	7.1	6.9	No	Yes	No		
Percentage of students who used marijuana one or more times during the past 30 days			19.3	20.7	18.9	19.0	19.5	16.6	13.1	14.8	16.6	Yes	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days			5.3	6.2	3.5	3.5	4.7	3.4	3.9	3.9	3.5	Yes	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			7.8	9.6	8.5	8.7	10.2	9.3	7.7	6.7	6.3	Yes	Yes	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days			3.4	4.2	3.1	3.6	3.8	3.4	3.1	2.0	2.1	Yes	Yes	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			25.4	23.6	16.8	15.5	13.4	16.2	16.0	14.7	12.0	Yes	Yes	Yes		
Percentage of students who used heroin one or more times during their life					2.3	2.5	2.2	3.2	4.5	3.0	2.9	No	No	No		
Percentage of students who used methamphetamines one or more times during their life					11.1	9.7	10.9	7.6	5.0	3.6	3.4	Yes	No	No		
Percentage of students who used ecstasy one or more times during their life							5.8	6.5	6.7	7.4	7.6	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life			3.6	4.8	4.4	4.8	3.7	4.1	5.0	4.3	3.6	No	No	No		
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			2.0	2.7	2.4	2.2	2.6	2.5	3.2	2.8	2.4	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011				
White*															
Alcohol and Other Drug Use															
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			22.3	29.6	18.2	18.0	18.2	21.5	23.6	21.7	23.2	No	Yes	No	

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
White*														
Sexual Behaviors														
Percentage of students who ever had sexual intercourse			47.2	42.5	45.7	45.0	44.7	46.1	46.0	48.8	45.6	No	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			8.1	5.0	4.8	4.7	5.2	4.5	5.2	4.5	4.8	Yes	Yes	No
Percentage of students who had sexual intercourse with four or more people during their life			15.3	15.3	14.3	12.6	15.5	15.1	13.7	15.8	15.7	No	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months			31.0	28.9	32.3	31.8	31.4	34.1	32.8	36.1	33.0	Yes	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse			29.3	31.4	30.1	29.5	25.8	23.7	24.7	21.7	26.6	Yes	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse			53.5	49.1	57.4	62.1	64.1	66.4	65.1	63.6	59.9	Yes	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse			24.9	23.2	19.4	26.6	23.8	27.1	22.1	25.4	23.2	No	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse					5.9	5.1	3.8	6.3	3.4	3.5	9.2	No	Yes	Yes

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse					25.3	31.7	27.6	33.4	25.5	28.9	32.4	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy					8.8	12.4	11.0	15.9	10.7	12.4	11.8	No	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection			89.9	93.1	90.5	90.6	90.0	90.3	86.3	85.7	84.1	Yes	Yes	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
White*														
Weight Management and Dietary Behaviors														
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					10.4	10.7	11.7	11.7	10.9	12.1	11.4	No	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**					5.1	6.1	6.6	7.8	8.4	9.2	10.3	Yes	No	No
Percentage of students who described themselves as slightly or very overweight			25.3	26.8	27.5	27.2	28.9	28.9	27.1	29.1	26.5	No	Yes	No
Percentage of students who were trying to lose weight			39.3	42.9	40.3	42.1	43.1	41.5	39.6	44.7	41.1	No	No	Yes
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					12.0	13.2	12.7	12.0	13.5	13.5	12.0	No	No	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					6.4	7.3	7.6	7.0	7.1	5.9	6.5	No	No	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			5.2	6.4	4.1	4.3	5.2	6.3	6.1	5.3	5.5	No	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days					83.1	84.6	82.3	79.9	79.4	79.4	80.1	Yes	No	No
Percentage of students who ate fruit one or more times during the past seven days					88.0	88.4	88.6	85.9	86.2	88.7	88.3	No	No	No

*Non-Hispanic.

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Weight Management and Dietary Behaviors																
Percentage of students who ate green salad one or more times during the past seven days					76.8	75.2	78.2	71.4	71.8	71.9	72.5	Yes	No	No		
Percentage of students who ate potatoes one or more times during the past seven days					81.6	80.7	80.9	76.5	73.1	76.4	74.6	Yes	No	No		
Percentage of students who ate carrots one or more times during the past seven days					58.5	56.1	59.3	56.0	55.9	57.8	58.6	No	No	No		
Percentage of students who ate other vegetables one or more times during the past seven days					88.3	87.2	87.6	84.6	83.9	85.5	85.8	Yes	No	No		
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					21.5	20.7	22.2	16.5	16.3	18.6	21.3	No	Yes	Yes		
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days					11.0	11.1	12.0	7.2	8.3	9.2	10.8	No	Yes	No		
Percentage of students who ate fruits two or more times per day during the past seven days					32.2	29.6	30.3	25.0	25.0	26.1	29.4	Yes	Yes	Yes		
Percentage of students who ate vegetables three or more times per day during the past seven days					15.2	16.4	16.2	11.7	12.5	15.6	16.8	No	Yes	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										27.4	26.0	25.3	No	No	No	

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								36.8	49.1	50.5	51.9	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								21.6	14.1	12.5	12.8	Yes	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								17.1	27.0	26.4	26.2	Yes	Yes	No		
Percentage of students who watched three or more hours per day of TV on an average school day					25.6	24.1	25.4	20.8	19.5	19.8	18.7	Yes	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day									16.3	14.9	19.4	Yes	Yes	Yes		
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school			57.2	53.3	59.4	57.9	52.6	53.8	53.0	57.0	55.3	No	No	No		
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school			34.9	28.9	32.2	30.6	23.0	21.4	21.5	22.5	20.8	Yes	No	No		
Percentage of students who played on one or more sports teams during the past 12 months					60.0	64.1	57.0	59.8	60.6	60.6	63.4	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Other																
Percentage of students who had ever been told by a doctor or nurse that they had asthma								18.2	22.7	21.0	24.1	Yes	No	Yes		
Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma									11.7	11.3	12.2	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Injury and Violence																
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet								91.5	91.5	89.1	86.5	No	No	No		
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			39.5	52.1	30.1	30.1	20.8	21.2	18.9	26.7	23.4	Yes	Yes	No		
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			51.9	61.3	50.1	55.8	35.0	43.4	39.9	39.4	35.7	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			25.1	29.6	33.9	24.4	15.2	20.3	17.0	23.7	17.4	Yes	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			26.1	33.7	27.7	18.1	23.3	28.5	37.4	30.3	26.6	No	No	No		
Percentage of students who carried a gun on one or more of the past 30 days			12.1	12.7	11.3	5.9	7.8	9.0	15.3	15.4	12.2	No	Yes	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			13.4	20.0	17.1	6.2	7.9	11.5	17.9	17.1	15.8	No	Yes	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			3.9	9.0	3.5	14.7	8.5	6.3	8.2	14.3	11.1	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Injury and Violence																
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			11.3	12.0	12.3	14.8	8.5	11.8	14.3	19.1	14.7	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months			42.9	49.9	42.3	39.1	33.1	38.5	42.7	43.5	38.5	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse			5.4	7.2	4.0	5.2	3.8	6.8	12.1	9.2	7.6	Yes	No	No		
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			23.1	17.9	15.5	15.7	9.9	16.8	20.5	23.4	17.2	No	Yes	No		
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					12.5	13.3	12.3	16.3	19.4	20.8	24.1	Yes	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						9.4	7.7	13.9	14.6	20.1	19.5	Yes	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										29.5	33.6	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					32.0	33.8	32.6	37.4	36.0	31.3	33.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Injury and Violence																
Percentage of students who seriously considered attempting suicide during the past 12 months			21.8	22.2	24.3	21.7	23.4	20.6	26.8	20.0	22.6	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months			12.9	21.3	13.3	11.1	18.7	19.0	24.5	19.2	20.2	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								15.0	16.0	14.4	19.8	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								6.1	6.8	6.9	11.8	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Tobacco Use																
Percentage of students who ever tried cigarette smoking, even one or two puffs			88.5	88.0	80.9	80.5	59.6	72.2	73.6	64.5	63.5	Yes	Yes	No		
Percentage of students who smoked a whole cigarette for the first time before age 13 years			35.2	40.0	32.7	31.1	22.8	31.7	33.5	26.7	25.2	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days			46.9	47.3	47.2	33.7	30.6	31.7	30.6	34.4	28.4	Yes	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			17.0	25.9	27.8	16.3	13.3	10.0	12.4	18.0	16.2	Yes	No	No		
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days			22.4	22.1	26.8	12.3	11.4	11.5	12.7	18.3	13.2	Yes	No	No		
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						27.6	18.4	18.5	21.6	23.8	24.2	No	Yes	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			11.2	17.7	12.7	12.6	8.6	14.3	19.1	19.9	20.1	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Hispanic/Latino														
Alcohol and Other Drug Use														
Percentage of students who had at least one drink of alcohol on one or more days during their life				93.9	94.0	88.3	77.5	87.5	80.1	77.6	72.2	Yes	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			50.2	51.4	48.4	37.5	38.5	36.5	36.5	38.7	33.1	Yes	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days				68.8	74.3	58.4	54.3	58.3	52.9	51.6	43.1	Yes	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			48.4	52.6	56.2	44.2	31.7	43.5	39.7	37.0	30.0	Yes	No	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days									27.7	32.8	33.1	No	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			12.5	10.7	8.6	8.8	5.1	11.6	12.0	15.9	7.6	No	No	Yes
Percentage of students who used marijuana one or more times during their life			52.6	66.4	65.2	59.4	44.3	53.7	51.1	53.7	51.4	No	No	No
Percentage of students who tried marijuana for the first time before age 13 years			14.8	20.2	25.3	19.4	10.4	22.0	22.4	21.2	21.4	No	No	No
Percentage of students who used marijuana one or more times during the past 30 days			34.1	44.0	42.6	32.0	23.0	28.7	25.4	31.1	28.1	Yes	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days			13.6	18.4	13.3	9.5	3.8	6.8	8.9	14.1	10.0	No	Yes	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			13.7	22.0	18.9	17.1	9.0	15.8	14.9	20.3	20.0	No	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days			8.6	13.0	6.8	8.9	5.1	5.7	7.6	12.7	9.6	No	Yes	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			44.5	36.6	20.7	16.6	16.4	20.4	21.2	22.9	25.5	Yes	Yes	No		
Percentage of students who used heroin one or more times during their life					6.7	2.0	2.7	5.9	6.5	9.9	12.7	Yes	No	No		
Percentage of students who used methamphetamines one or more times during their life					21.4	18.7	12.8	14.6	9.9	12.0	13.9	Yes	No	No		
Percentage of students who used ecstasy one or more times during their life							7.3	12.1	11.2	16.3	19.4	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life			7.9	9.1	6.4	6.7	5.8	8.7	8.2	11.9	14.0	Yes	Yes	No		
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			4.6	5.9	5.4	2.8	2.3	5.5	4.4	9.2	11.1	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Wyoming High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Alcohol and Other Drug Use																
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			36.0	40.3	32.0	24.6	16.1	32.8	32.2	34.7	34.8	No	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse			65.8	64.1	67.4	60.4	51.9	56.0	61.6	64.8	64.4	No	Yes	No		
Percentage of students who had sexual intercourse for the first time before age 13 years			12.3	14.5	13.6	6.1	5.8	7.9	11.1	13.5	11.7	No	Yes	No		
Percentage of students who had sexual intercourse with four or more people during their life			20.3	26.4	27.5	23.0	17.9	18.4	22.9	31.9	25.4	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months			41.4	46.6	50.8	42.7	32.0	42.5	43.6	52.3	46.0	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse										38.3	28.6	No		No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse										54.6	51.0	No		No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse										17.1	16.2	No		No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse										7.2	9.4	No		No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
Hispanic/Latino														
Sexual Behaviors														
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse										24.3	25.6	No		No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy										8.4	8.3	No		No
Percentage of students who had ever been taught in school about AIDS or HIV infection			85.4	87.3	83.6	84.3	73.4	87.1	84.6	79.9	73.9	Yes	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								17.3	10.1	12.9	18.1	No	Yes	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								11.7	14.1	13.9	14.8	No	No	No		
Percentage of students who described themselves as slightly or very overweight			34.4	33.9	34.1	28.1	30.2	33.4	29.2	28.9	31.9	No	No	No		
Percentage of students who were trying to lose weight			47.4	39.2	46.3	41.5	46.0	54.5	45.5	43.3	46.9	No	No	No		
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					14.0	15.1	8.8	16.3	15.9	16.4	20.3	Yes	No	No		
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					7.7	9.6	6.4	9.1	8.8	9.2	15.9	Yes	No	Yes		
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			7.3	6.4	5.7	5.6	7.6	8.8	8.6	10.8	13.8	Yes	No	No		
Percentage of students who drank 100% fruit juices one or more times during the past seven days					85.7	84.2	85.2	82.7	84.5	79.1	74.8	Yes	No	No		
Percentage of students who ate fruit one or more times during the past seven days					83.5	90.6	87.3	84.8	84.7	85.0	82.1	No	No	No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Weight Management and Dietary Behaviors																
Percentage of students who ate green salad one or more times during the past seven days					68.2	71.2	68.4	61.8	66.4	60.4	62.7	Yes	No	No		
Percentage of students who ate potatoes one or more times during the past seven days					79.8	78.0	82.2	74.5	71.2	70.1	66.5	Yes	No	No		
Percentage of students who ate carrots one or more times during the past seven days					44.2	45.5	41.3	46.9	50.8	53.8	49.9	Yes	No	No		
Percentage of students who ate other vegetables one or more times during the past seven days					88.8	81.8	86.8	80.5	75.0	76.3	80.0	Yes	Yes	No		
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					19.9	22.1	21.5	14.4	23.1	21.9	23.7	No	No	No		
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days					10.5	8.7	6.8	8.5	10.5	13.7	14.4	No	Yes	No		
Percentage of students who ate fruits two or more times per day during the past seven days					21.5	30.1	30.5	25.1	29.0	29.9	29.7	No	No	No		
Percentage of students who ate vegetables three or more times per day during the past seven days					16.1	13.2	13.0	11.3	13.5	19.0	19.8	No	Yes	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										32.6	31.8	26.6	No	No	No	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								29.4	41.9	38.8	42.0	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								28.3	13.1	16.9	21.4	No	Yes	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								12.3	24.5	20.6	24.6	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day					41.6	25.0	33.8	35.3	32.2	34.0	29.5	No	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day									12.7	23.9	23.8	Yes	No	No		
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school			68.5	55.0	71.0	56.4	54.3	58.2	54.5	62.0	57.7	Yes	No	No		
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school			51.0	31.4	41.3	29.7	22.6	22.1	26.7	26.6	22.7	Yes	Yes	No		
Percentage of students who played on one or more sports teams during the past 12 months					50.5	61.4	45.3	55.4	56.2	59.1	59.2	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wyoming High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Other																
Percentage of students who had ever been told by a doctor or nurse that they had asthma								17.8	25.9	21.6	27.8		Yes	No	No	
Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma								11.6	11.6	12.2		No	No	No		