



Denice Brown
Optimistic
About a Cure >



[Donate](#)



[Contact Us](#)



[FFB Home](#)

Science and Research

Science & Research

[Research Articles](#)

[Treatments & Cures](#)

[Clinical Trials](#)

[Genetic Testing](#)

[Scientific Advisory
Board](#)

[About The Scientists](#)

[Grants and Awards](#)

[Research Medical
Centers](#)

[Eye Donor](#)

[National Registry](#)

[Glossary of Terms](#)

[Donate Now](#)

[Get FREE Information](#)

[FFB Home Page](#)

[Login](#) | [Register](#)

[Foundation Fighting Blindness](#) : [Science & Research](#) > [Research Articles](#)

[Printer Friendly Version](#)

Breaking News from the Foundation Fighting Blindness



04/28/2008

Now They See

Landmark Gene Therapy Provides Vision to Nearly Blind Young Adults

Three young adults with virtually no vision can now read several lines on an eye chart and see better in dimly lit settings thanks to an innovative gene therapy aiming to reverse blindness in a severe form of retinitis pigmentosa known as Leber congenital amaurosis or LCA. One person was even able to better navigate an obstacle course several weeks after receiving the therapy.

The three individuals are participating in a Phase I clinical trial at The Children's Hospital of Philadelphia, which is funded in part by the Foundation Fighting Blindness.

"I am overwhelmed with delight. We are delivering vision to people who were blind. This is the biggest advancement in the 37-year history of the Foundation Fighting Blindness," says Gordon Gund, Co-Founder and Chairman of the Foundation Fighting Blindness. "We have achieved an incredible milestone in curing blindness, and this advancement will help pave the way for the development of gene therapies to treat and cure a variety of retinal diseases



Jean Bennett, M.D., Ph.D.,
lead investigator of the study, with her
husband, **Albert Maguire, M.D.,**
the study's lead surgeon.

**Get the
most recent
research updates.**

Sign up NOW

FFB InSight



**Microsoft WebSpeak
has been installed
to read content on this
site aloud. When you see
this speaker icon, use
your mouse to click on it
and the wizard will be
activated.**

including: retinitis pigmentosa, Stargardt disease, Usher syndrome, and macular degeneration. This is a great day for the Foundation and all people affected by blinding retinal diseases."

The development of the approach began when a form of LCA was linked to the RPE65 gene in 1997. Three years later, researchers began giving vision to dogs born blind from LCA, including the world-famous Lancelot. More than 50 dogs have been treated and all continue to see well. The Foundation Fighting Blindness has been funding this research virtually every step of the way.

Though the Phase I studies are primarily focused on safety, the first dose used in this study resulted in improved vision. An additional six individuals will be enrolled in a continuation of this study to evaluate safety and efficacy of differing doses. The vision improvement in young adults seen so far at the lowest dose gives researchers optimism that the treatment may provide near-normal vision to children in Phase II studies.

Results of the clinical trials, funded in part by the Foundation, were published on April 28, 2008 in the New England Journal of Medicine. The journal published the results of gene therapy trials taking place at CHOP and Moorfields Eye Hospital in London. A third trial of the gene therapy, sponsored by the NEI, is also taking place at the University of Pennsylvania and the University of Florida.

Jean Bennett, M.D., Ph.D., lead investigator of the CHOP trial, reports that the team studied three participants, who ranged in age from 19 to 26. All three had one eye treated.

Bennett says that all three individuals reported improved vision in dimly lit environments and in visual acuity in their injected eyes starting two weeks after treatment. Nystagmus- the roving eye movement associated with severe vision loss from LCA- was also reduced in all three individuals.

The treatment developed by this team of investigators involves delivery of a normal RPE65 gene to the retina to augment function of the defective RPE65 gene that leads to one form of LCA. Twelve different genes that lead to LCA have been identified.

The gene is delivered using a therapeutic virus known as an adeno-associated vector or AAV.

Researchers believe the vision improvement from a single injection will last for many years. In earlier laboratory studies, a single AAV-based gene therapy in more than 50 dogs born blind from LCA has been effective for more than seven years.

This study is being carried out by an international team led by The University of Pennsylvania, The Children's Hospital of Philadelphia, the Second University of Naples and the Telethon Institute of Genetics and Medicine (both in Italy), and several other American institutions.

[Click here to view national network news coverage of groundbreaking research, partly funded by the Foundation Fighting Blindness, of a gene therapy for Leber Congenital Amaurosis, a genetic disease that causes blindness.](#)

If you are interested in supporting the Foundation Fighting Blindness in its mission to advance research initiatives such as this study and others to cure retinal diseases, [click here](#).

Written By: Ben Shaberman

The work described in this article was made possible through generous gifts from people like you. Please [click here](#) to make a donation to the Foundation.

DISCLAIMER: Physicians differ in their approach to incorporating research results into their clinical practice. You should always consult with and be guided by your Physician's advice when considering treatment based on research results.



[Home](#) | [Viewing This Site](#) | [Contact Us](#) | [Privacy Statement](#) | [Back to Top](#)



[The National Database of Nonprofit Organizations.](#)

©2008 **Foundation Fighting Blindness**. All rights reserved.
11435 Cronhill Drive, Owings Mills, MD 21117
(800) 683-5555 or info@FightBlindness.org